



Certificate of Compliance

Certificate: 2358468 **Master Contract:** 251419
Project: 80196267 **Date Issued:** 2024-03-25
Issued to: **Ortal Ltd**
14 Haharash St.
Hod Hasharon, Center District 45240
Israel
Attention: Mordo Bilman

The products listed below are eligible to bear the CSA Mark shown with adjacent indicators 'C' and 'US' for Canada and US or with adjacent indicator 'US' for US only or without either indicator for Canada only.



Issued by:
 Jeffrey Jaryga
 Jeffrey Jaryga, Certifier

PRODUCTS

C290104 DOMESTIC HEATERS (GAS) - Vented Fireplace
 C290184 DOMESTIC HEATERS (GAS) - Vented Fireplace-Certified to U.S. Standards

Burner 45 (1)

Trade Name: Ortal, Lyric

Model(s)	Max Input Rating (BTU/HR)	Min Input Rating (BTU/HR)
4 Glass Island, Island 70	Single Burner, NG: 29,100	Single Burner, NG: 16,147
	Single Burner, Propane: 22118	Single Burner, Propane: 13,811
	Double Burner, NG: 33,029	Double Burner, NG: 18,327
	Double Burner, Propane: 28,500	Double Burner, Propane: 17,796
Classic F 28/30, Classic F 70/80	Single Burner, NG: 29,100	Single Burner, NG: 16,147
	Single Burner, Propane: 22118	Single Burner, Propane: 13,811



Certificate: 2358468

Master Contract: 251419

Project: 80196267

Date Issued: 2024-03-25

	Double Burner, NG: 33,029	Double Burner, NG: 18,327
	Double Burner, Propane: 28,500	Double Burner, Propane: 17,796
Clear - 22x30/Tunnel, Clear - 60x80/Tunnel	Single Burner, NG: 29,100	Single Burner, NG: 16,147
	Single Burner, Propane: 22118	Single Burner, Propane: 13,811
	Double Burner, NG: 33,029	Double Burner, NG: 18,327
	Double Burner, Propane: 28,500	Double Burner, Propane: 17,796
Clear - 25H/RS/LS/TS, Clear - 75H/RS/LS/TS	Single Burner, NG: 29,100	Single Burner, NG: 16,147
	Single Burner, Propane: 22118	Single Burner, Propane: 13,811
	Double Burner, NG: 33,029	Double Burner, NG: 18,327
	Double Burner, Propane: 28,500	Double Burner, Propane: 17,796
Clear - 25HH /RS/LS/TS/SA/TU, Clear - 75HH /RS/LS/TS/SA/TU	Single Burner, NG: 29,100	Single Burner, NG: 16,147
	Single Burner, Propane: 22118	Single Burner, Propane: 13,811
	Double Burner, NG: 33,029	Double Burner, NG: 18,327
	Double Burner, Propane: 28,500	Double Burner, Propane: 17,796
Clear - 30/RS/LS/TS/TU, Clear - 75/RS/LS/TS/TU	Single Burner, NG: 29,100	Single Burner, NG: 16,147
	Single Burner, Propane: 22118	Single Burner, Propane: 13,811
	Double Burner, NG: 33,029	Double Burner, NG: 18,327
	Double Burner, Propane: 28,500	Double Burner, Propane: 17,796
Clear - 30TS Base, Clear - 75TS Base	Single Burner, NG: 29,100	Single Burner, NG: 16,147
	Single Burner, Propane: 22118	Single Burner, Propane: 13,811
	Double Burner, NG: 33,029	Double Burner, NG: 18,327
	Double Burner, Propane: 28,500	Double Burner, Propane: 17,796
Clear - 32/RS/LS/TS, Clear - 80/RS/LS/TS	Single Burner, NG: 29,100	Single Burner, NG: 16,147
	Single Burner, Propane: 22118	Single Burner, Propane: 13,811
	Double Burner, NG: 33,029	Double Burner, NG: 18,327
	Double Burner, Propane: 28,500	Double Burner, Propane: 17,796
Clear - 32H/RS/LS/TS, Clear - 8070H/RS/LS/TS	Single Burner, NG: 29,100	Single Burner, NG: 16,147
	Single Burner, Propane: 22118	Single Burner, Propane: 13,811
	Double Burner, NG: 33,029	Double Burner, NG: 18,327
	Double Burner, Propane: 28,500	Double Burner, Propane: 17,796
Clear - 75H /RS/LS/TS/TU, Clear-25H /RS/LS/TS/TU	Single Burner, NG: 29,100	Single Burner, NG: 16,147
	Single Burner, Propane: 22118	Single Burner, Propane: 13,811
	Double Burner, NG: 33,029	Double Burner, NG: 18,327



Certificate: 2358468

Master Contract: 251419

Project: 80196267

Date Issued: 2024-03-25

	Double Burner, Propane: 28,500	Double Burner, Propane: 17,796
Clear 30 Base, Clear 75 Base	Single Burner, NG: 29,100	Single Burner, NG: 16,147
	Single Burner, Propane: 22118	Single Burner, Propane: 13,811
	Double Burner, NG: 33,029	Double Burner, NG: 18,327
	Double Burner, Propane: 28,500	Double Burner, Propane: 17,796
Clear 31 H/Tunnel, Clear 75x65H/Tunnel	Single Burner, NG: 29,100	Single Burner, NG: 16,147
	Single Burner, Propane: 22118	Single Burner, Propane: 13,811
	Double Burner, NG: 33,029	Double Burner, NG: 18,327
	Double Burner, Propane: 28,500	Double Burner, Propane: 17,796
Clear 31/Tunnel, Clear 75x65/Tunnel	Single Burner, NG: 29,100	Single Burner, NG: 16,147
	Single Burner, Propane: 22118	Single Burner, Propane: 13,811
	Double Burner, NG: 33,029	Double Burner, NG: 18,327
	Double Burner, Propane: 28,500	Double Burner, Propane: 17,796
Minimal – 22x30/Tunnel, Minimal – 60x80/Tunnel	Single Burner, NG: 29,100	Single Burner, NG: 16,147
	Single Burner, Propane: 22118	Single Burner, Propane: 13,811
	Double Burner, NG: 33,029	Double Burner, NG: 18,327
	Double Burner, Propane: 28,500	Double Burner, Propane: 17,796
Minimal – 30, Minimal – 75	Single Burner, NG: 29,100	Single Burner, NG: 16,147
	Single Burner, Propane: 22118	Single Burner, Propane: 13,811
	Double Burner, NG: 33,029	Double Burner, NG: 18,327
	Double Burner, Propane: 28,500	Double Burner, Propane: 17,796
Oval 120 360/270/TU, Oval 50 360/270/TU	Single Burner, NG: 29,100	Single Burner, NG: 16,147
	Single Burner, Propane: 22118	Single Burner, Propane: 13,811
	Double Burner, NG: 33,029	Double Burner, NG: 18,327
	Double Burner, Propane: 28,500	Double Burner, Propane: 17,796
Oval 32 360/270/TU, Oval 80 360/270/TU	Single Burner, NG: 29,100	Single Burner, NG: 16,147
	Single Burner, Propane: 22118	Single Burner, Propane: 13,811
	Double Burner, NG: 33,029	Double Burner, NG: 18,327
	Double Burner, Propane: 28,500	Double Burner, Propane: 17,796
Space Creator 30, Space Creator 75	Single Burner, NG: 29,100	Single Burner, NG: 16,147
	Single Burner, Propane: 22118	Single Burner, Propane: 13,811
	Double Burner, NG: 33,029	Double Burner, NG: 18,327
	Double Burner, Propane: 28,500	Double Burner, Propane: 17,796



Certificate: 2358468

Master Contract: 251419

Project: 80196267

Date Issued: 2024-03-25

Stand Alone 25/H TS, Stand Alone 75/H TS	Single Burner, NG: 29,100	Single Burner, NG: 16,147
	Single Burner, Propane: 22118	Single Burner, Propane: 13,811
	Double Burner, NG: 33,029	Double Burner, NG: 18,327
	Double Burner, Propane: 28,500	Double Burner, Propane: 17,796
Stand Alone 30/TS, Stand Alone 75/TS	Single Burner, NG: 29,100	Single Burner, NG: 16,147
	Single Burner, Propane: 22118	Single Burner, Propane: 13,811
	Double Burner, NG: 33,029	Double Burner, NG: 18,327
	Double Burner, Propane: 28,500	Double Burner, Propane: 17,796
Stand Alone 30x26 Curve/Tunnel, Stand Alone 75x65 Curve/Tunnel	Single Burner, NG: 29,100	Single Burner, NG: 16,147
	Single Burner, Propane: 22118	Single Burner, Propane: 13,811
	Double Burner, NG: 33,029	Double Burner, NG: 18,327
	Double Burner, Propane: 28,500	Double Burner, Propane: 17,796
Traditional 110, Traditional 42	Single Burner, NG: 29,100	Single Burner, NG: 16,147
	Single Burner, Propane: 22118	Single Burner, Propane: 13,811
	Double Burner, NG: 33,029	Double Burner, NG: 18,327
	Double Burner, Propane: 28,500	Double Burner, Propane: 17,796
Traditional 30, Traditional 74	Single Burner, NG: 29,100	Single Burner, NG: 16,147
	Single Burner, Propane: 22118	Single Burner, Propane: 13,811
	Double Burner, NG: 33,029	Double Burner, NG: 18,327
	Double Burner, Propane: 28,500	Double Burner, Propane: 17,796
Traditional 36, Traditional 90	Single Burner, NG: 29,100	Single Burner, NG: 16,147
	Single Burner, Propane: 22118	Single Burner, Propane: 13,811
	Double Burner, NG: 33,029	Double Burner, NG: 18,327
	Double Burner, Propane: 28,500	Double Burner, Propane: 17,796
Traditional 36s, Traditional 70	Single Burner, NG: 29,100	Single Burner, NG: 16,147
	Single Burner, Propane: 22118	Single Burner, Propane: 13,811
	Double Burner, NG: 33,029	Double Burner, NG: 18,327
	Double Burner, Propane: 28,500	Double Burner, Propane: 17,796

Burner 45 (2) - Single Burner Orifice 260- Double Burner Orifices 220/160

Trade Name: Ortal, Lyric

Model(s)	Max Input Rating (BTU/HR)	Min Input Rating (BTU/HR)



Certificate: 2358468

Master Contract: 251419

Project: 80196267

Date Issued: 2024-03-25

4 Glass Island, Island 70	Single Burner, Propane: 24,637	Single Burner, Propane: 18,312
	Double Burner, Propane: 34,459	Double Burner, Propane: 16,742
Classic F 28/30, Classic F 70/80	Single Burner, Propane: 24,637	Single Burner, Propane: 18,312
	Double Burner, Propane: 34,459	Double Burner, Propane: 16,742
Clear - 22x30/Tunnel, Clear - 60x80/Tunnel	Single Burner, Propane: 24,637	Single Burner, Propane: 18,312
	Double Burner, Propane: 34,459	Double Burner, Propane: 16,742
Clear - 25H/RS/LS/TS/TU, Clear - 75H/RS/LS/TS/TU	Single Burner, Propane: 24,637	Single Burner, Propane: 18,312
	Double Burner, Propane: 34,459	Double Burner, Propane: 16,742
Clear - 25H/RS/LS/TS, Clear - 75H/RS/LS/TS	Single Burner, Propane: 24,637	Single Burner, Propane: 18,312
	Double Burner, Propane: 34,459	Double Burner, Propane: 16,742
Clear - 25HH/RS/LS/TS/SA/TU, Clear - 75HH/RS/LS/TS/SA/TU	Single Burner, Propane: 24,637	Single Burner, Propane: 18,312
	Double Burner, Propane: 34,459	Double Burner, Propane: 16,742
Clear - 30/RS/LS/TS/TU, Clear - 75/RS/LS/TS/TU	Single Burner, Propane: 24,637	Single Burner, Propane: 18,312
	Double Burner, Propane: 34,459	Double Burner, Propane: 16,742
Clear - 30TS Base, Clear - 75TS Base	Single Burner, Propane: 24,637	Single Burner, Propane: 18,312
	Double Burner, Propane: 34,459	Double Burner, Propane: 16,742
Clear - 32/RS/LS/TS, Clear - 80/RS/LS/TS	Single Burner, Propane: 24,637	Single Burner, Propane: 18,312
	Double Burner, Propane: 34,459	Double Burner, Propane: 16,742
Clear - 32H/RS/LS/TS, Clear - 8070H/RS/LS/TS	Single Burner, Propane: 24,637	Single Burner, Propane: 18,312
	Double Burner, Propane: 34,459	Double Burner, Propane: 16,742
Clear 30 Base, Clear 75 Base	Single Burner, Propane: 24,637	Single Burner, Propane: 18,312
	Double Burner, Propane: 34,459	Double Burner, Propane: 16,742
Clear 31 H/Tunnel, Clear 75x65H/Tunnel	Single Burner, Propane: 24,637	Single Burner, Propane: 18,312
	Double Burner, Propane: 34,459	Double Burner, Propane: 16,742
Clear 31/Tunnel, Clear 75x65/Tunnel	Single Burner, Propane: 24,637	Single Burner, Propane: 18,312
	Double Burner, Propane: 34,459	Double Burner, Propane: 16,742
Minimal – 22x30/Tunnel, Minimal – 60x80/Tunnel	Single Burner, Propane: 24,637	Single Burner, Propane: 18,312
	Double Burner, Propane: 34,459	Double Burner, Propane: 16,742
Minimal – 30, Minimal – 75	Single Burner, Propane: 24,637	Single Burner, Propane: 18,312
	Double Burner, Propane: 34,459	Double Burner, Propane: 16,742
Oval 120 360/270/TU, Oval 50 360/270/TU	Single Burner, Propane: 24,637	Single Burner, Propane: 18,312
	Double Burner, Propane: 34,459	Double Burner, Propane: 16,742
Oval 32 360/270/TU, Oval 80 360/270/TU	Single Burner, Propane: 24,637	Single Burner, Propane: 18,312



Certificate: 2358468

Master Contract: 251419

Project: 80196267

Date Issued: 2024-03-25

	Double Burner, Propane: 34,459	Double Burner, Propane: 16,742
Space Creator 30, Space Creator 75	Single Burner, Propane: 24,637	Single Burner, Propane: 18,312
	Double Burner, Propane: 34,459	Double Burner, Propane: 16,742
Stand Alone 30/H TS, Stand Alone 75/H TS	Single Burner, Propane: 24,637	Single Burner, Propane: 18,312
	Double Burner, Propane: 34,459	Double Burner, Propane: 16,742
Stand Alone 30/TS, Stand Alone 75/TS	Single Burner, Propane: 24,637	Single Burner, Propane: 18,312
	Double Burner, Propane: 34,459	Double Burner, Propane: 16,742
Stand Alone 30x26 Curve/Tunnel, Stand Alone 75x65 Curve/Tunnel	Single Burner, Propane: 24,637	Single Burner, Propane: 18,312
	Double Burner, Propane: 34,459	Double Burner, Propane: 16,742
Traditional 110, Traditional 42	Single Burner, Propane: 24,637	Single Burner, Propane: 18,312
	Double Burner, Propane: 34,459	Double Burner, Propane: 16,742
Traditional 30, Traditional 74	Single Burner, Propane: 24,637	Single Burner, Propane: 18,312
	Double Burner, Propane: 34,459	Double Burner, Propane: 16,742
Traditional 36, Traditional 90	Single Burner, Propane: 24,637	Single Burner, Propane: 18,312
	Double Burner, Propane: 34,459	Double Burner, Propane: 16,742
Traditional 36s, Traditional 70	Single Burner, Propane: 24,637	Single Burner, Propane: 18,312
	Double Burner, Propane: 34,459	Double Burner, Propane: 16,742

Burner 45 (3) - Single Burner Orifice 320 - Double Burner Orifices 220/220

Trade Name: Ortal, Lyric

Model(s)	Max Input Rating (BTU/HR)	Min Input Rating (BTU/HR)
4 Glass Island, Island 70	Single Burner, Propane: 28,343	Single Burner, Propane: 15,627
	Double Burner, Propane: 53,238	Double Burner, Propane: 17,265
Classic F 28/30, Classic F 70/80	Single Burner, Propane: 28,343	Single Burner, Propane: 15,627
	Double Burner, Propane: 53,238	Double Burner, Propane: 17,265
Clear - 22x30/Tunnel, Clear - 60x80/Tunnel	Single Burner, Propane: 28,343	Single Burner, Propane: 15,627
	Double Burner, Propane: 53,238	Double Burner, Propane: 17,265
Clear - 25H /RS/LS/TS/TU, Clear - 75H /RS/LS/TS/TU	Single Burner, Propane: 28,343	Single Burner, Propane: 15,627
	Double Burner, Propane: 53,238	Double Burner, Propane: 17,265
Clear - 25H/RS/LS/TS, Clear - 75H/RS/LS/TS	Single Burner, Propane: 28,343	Single Burner, Propane: 15,627
	Double Burner, Propane: 53,238	Double Burner, Propane: 17,265
Clear - 25HH /RS/LS/TS/SA/TU, Clear - 75HH /RS/LS/TS/SA/TU	Single Burner, Propane: 28,343	Single Burner, Propane: 15,627



Certificate: 2358468

Master Contract: 251419

Project: 80196267

Date Issued: 2024-03-25

	Double Burner, Propane: 53,238	Double Burner, Propane: 17,265
Clear - 30/RS/LS/TS/TU, Clear - 75/RS/LS/TS/TU	Single Burner, Propane: 28,343	Single Burner, Propane: 15,627
	Double Burner, Propane: 53,238	Double Burner, Propane: 17,265
Clear - 30TS Base, Clear - 75TS Base	Single Burner, Propane: 28,343	Single Burner, Propane: 15,627
	Double Burner, Propane: 53,238	Double Burner, Propane: 17,265
Clear - 32/RS/LS/TS, Clear - 80/RS/LS/TS	Single Burner, Propane: 28,343	Single Burner, Propane: 15,627
	Double Burner, Propane: 53,238	Double Burner, Propane: 17,265
Clear - 32H/RS/LS/TS, Clear - 8070H/RS/LS/TS	Single Burner, Propane: 28,343	Single Burner, Propane: 15,627
	Double Burner, Propane: 53,238	Double Burner, Propane: 17,265
Clear 30 Base, Clear 75 Base	Single Burner, Propane: 28,343	Single Burner, Propane: 15,627
	Double Burner, Propane: 53,238	Double Burner, Propane: 17,265
Clear 31 H/Tunnel, Clear 75x65H/Tunnel	Single Burner, Propane: 28,343	Single Burner, Propane: 15,627
	Double Burner, Propane: 53,238	Double Burner, Propane: 17,265
Clear 31/Tunnel, Clear 75x65/Tunnel	Single Burner, Propane: 28,343	Single Burner, Propane: 15,627
	Double Burner, Propane: 53,238	Double Burner, Propane: 17,265
Minimal – 22x30/Tunnel, Minimal – 60x80/Tunnel	Single Burner, Propane: 28,343	Single Burner, Propane: 15,627
	Double Burner, Propane: 53,238	Double Burner, Propane: 17,265
Minimal – 30, Minimal – 75	Single Burner, Propane: 28,343	Single Burner, Propane: 15,627
	Double Burner, Propane: 53,238	Double Burner, Propane: 17,265
Oval 120 360/270/TU, Oval 50 360/270/TU	Single Burner, Propane: 28,343	Single Burner, Propane: 15,627
	Double Burner, Propane: 53,238	Double Burner, Propane: 17,265
Oval 32 360/270/TU, Oval 80 360/270/TU	Single Burner, Propane: 28,343	Single Burner, Propane: 15,627
	Double Burner, Propane: 53,238	Double Burner, Propane: 17,265
Space Creator 30, Space Creator 75	Single Burner, Propane: 28,343	Single Burner, Propane: 15,627
	Double Burner, Propane: 53,238	Double Burner, Propane: 17,265
Stand Alone 25/H TS, Stand Alone 75/H TS	Single Burner, Propane: 28,343	Single Burner, Propane: 15,627
	Double Burner, Propane: 53,238	Double Burner, Propane: 17,265
Stand Alone 30/TS, Stand Alone 75/TS	Single Burner, Propane: 28,343	Single Burner, Propane: 15,627
	Double Burner, Propane: 53,238	Double Burner, Propane: 17,265
Stand Alone 30x26 Curve/Tunnel, Stand Alone 75x65 Curve/Tunnel	Single Burner, Propane: 28,343	Single Burner, Propane: 15,627
	Double Burner, Propane: 53,238	Double Burner, Propane: 17,265
Traditional 110, Traditional 42	Single Burner, Propane: 28,343	Single Burner, Propane: 15,627
	Double Burner, Propane: 53,238	Double Burner, Propane: 17,265



Certificate: 2358468

Master Contract: 251419

Project: 80196267

Date Issued: 2024-03-25

Traditional 30, Traditional 74	Single Burner, Propane: 28,343	Single Burner, Propane: 15,627
	Double Burner, Propane: 53,238	Double Burner, Propane: 17,265
Traditional 36, Traditional 90	Single Burner, Propane: 28,343	Single Burner, Propane: 15,627
	Double Burner, Propane: 53,238	Double Burner, Propane: 17,265
Traditional 36s, Traditional 70	Single Burner, Propane: 28,343	Single Burner, Propane: 15,627
	Double Burner, Propane: 53,238	Double Burner, Propane: 17,265

Direct Vent Gas Fireplace Heater For Use With Natural and Propane Gas

Burner 30

Trade Name: Ortal, Lyric

Model(s)	Max Input Rating (BTU/HR)	Min Input Rating (BTU/HR)
Classic Corner	NG: 23,670	NG: 10,419
	Propane: 21,000	Propane: 10,419
Classic Modern	NG: 23,670	NG: 10,419
	Propane: 21,000	Propane: 10,419
Clear - 18/RS/LS/TS/Tunnel, Clear - 40/RS/LS/TS/Tunnel	NG: 23,670	NG: 10,419
	Propane: 21,000	Propane: 10,419
Clear – 18x28H /RS/LS/TS/Tunnel, Clear - 4070H /RS/LS/TS/Tunnel	NG: 23,670	NG: 10,419
	Propane: 21,000	Propane: 10,419
Clear – 18x28H TS Base, Clear - 4070H TS Base	NG: 23,670	NG: 10,419
	Propane: 21,000	Propane: 10,419
Clear – 18x36H /RS/LS/TS/Tunnel, Clear - 4090H /RS/LS/TS/Tunnel	NG: 23,670	NG: 10,419
	Propane: 21,000	Propane: 10,419
Small Square	NG: 23,670	NG: 10,419
	Propane: 21,000	Propane: 10,419
Stand Alone 18TS, Stand Alone 40TS	NG: 23,670	NG: 10,419
	Propane: 21,000	Propane: 10,419

Burner 100

Trade Name: Ortal, Lyric

Model(s)	Max Input Rating (BTU/HR)	Min Input Rating (BTU/HR)



Certificate: 2358468

Master Contract: 251419

Project: 80196267

Date Issued: 2024-03-25

Clear - 110 Base, Clear - 44 Base	Single Burner, NG: 37,167	Single Burner, NG: 22,800
	Single Burner, Propane: 28,500	Single Burner, Propane: 22,900
	Double Burner, NG: 42,185	Double Burner, NG: 28,878
	Double Burner, Propane: 33,400	Double Burner, Propane: 26,837
Clear – 110 H/HH RS/LS/TS/Tunnel, Clear – 44 H/HH RS/LS/TS/Tunnel	Single Burner, NG: 37,167	Single Burner, NG: 22,800
	Single Burner, Propane: 28,500	Single Burner, Propane: 22,900
	Double Burner, NG: 42,185	Double Burner, NG: 28,878
	Double Burner, Propane: 33,400	Double Burner, Propane: 26,837
Clear - 110 TS Base, Clear - 44 TS Base	Single Burner, NG: 37,167	Single Burner, NG: 22,800
	Single Burner, Propane: 28,500	Single Burner, Propane: 22,900
	Double Burner, NG: 42,185	Double Burner, NG: 28,878
	Double Burner, Propane: 33,400	Double Burner, Propane: 26,837
Clear - 110/RS/LS/TS/Tunnel, Clear - 44/RS/LS/TS/Tunnel	Single Burner, NG: 37,167	Single Burner, NG: 22,800
	Single Burner, Propane: 28,500	Single Burner, Propane: 22,900
	Double Burner, NG: 42,185	Double Burner, NG: 28,878
	Double Burner, Propane: 33,400	Double Burner, Propane: 26,837
Clear – 130 /RS/LS/TS/Tunnel/Top/SA, Clear – 51 /RS/LS/TS/Tunnel/Top/SA	Single Burner, NG: 37,167	Single Burner, NG: 22,800
	Single Burner, Propane: 28,500	Single Burner, Propane: 22,900
	Double Burner, NG: 42,185	Double Burner, NG: 28,878
	Double Burner, Propane: 33,400	Double Burner, Propane: 26,837
Clear 130 H/HH RS/LS/TS/Tunnel,SA, Clear 51 H/HH RS/LS/TS/Tunnel/SA	Single Burner, NG: 37,167	Single Burner, NG: 22,800
	Single Burner, Propane: 28,500	Single Burner, Propane: 22,900
	Double Burner, NG: 42,185	Double Burner, NG: 28,878
	Double Burner, Propane: 33,400	Double Burner, Propane: 26,837
Island 130, Island 51	Single Burner, NG: 37,167	Single Burner, NG: 22,800
	Single Burner, Propane: 28,500	Single Burner, Propane: 22,900
	Double Burner, NG: 42,185	Double Burner, NG: 28,878
	Double Burner, Propane: 33,400	Double Burner, Propane: 26,837



Certificate: 2358468

Master Contract: 251419

Project: 80196267

Date Issued: 2024-03-25

Minimal – 110/Tunnel, Minimal – 44 /Tunnel	Single Burner, NG: 37,167	Single Burner, NG: 22,800
	Single Burner, Propane: 28,500	Single Burner, Propane: 22,900
	Double Burner, NG: 42,185	Double Burner, NG: 28,878
	Double Burner, Propane: 33,400	Double Burner, Propane: 26,837
Minimal – 130/Tunnel, Minimal – 51/Tunnel	Single Burner, NG: 37,167	Single Burner, NG: 22,800
	Single Burner, Propane: 28,500	Single Burner, Propane: 22,900
	Double Burner, NG: 42,185	Double Burner, NG: 28,878
	Double Burner, Propane: 33,400	Double Burner, Propane: 26,837
Space Creator 120 / Mini / Midi, Space Creator 48 / Mini / Midi	Single Burner, NG: 37,167	Single Burner, NG: 22,800
	Single Burner, Propane: 28,500	Single Burner, Propane: 22,900
	Double Burner, NG: 42,185	Double Burner, NG: 28,878
	Double Burner, Propane: 33,400	Double Burner, Propane: 26,837
Space Creator 120H, Space Creator 48H	Single Burner, NG: 37,167	Single Burner, NG: 22,800
	Single Burner, Propane: 28,500	Single Burner, Propane: 22,900
	Double Burner, NG: 42,185	Double Burner, NG: 28,878
	Double Burner, Propane: 33,400	Double Burner, Propane: 26,837
Stand Alone 110 /TS, Stand Alone 44 /TS	Single Burner, NG: 37,167	Single Burner, NG: 22,800
	Single Burner, Propane: 28,500	Single Burner, Propane: 22,900
	Double Burner, NG: 42,185	Double Burner, NG: 28,878
	Double Burner, Propane: 33,400	Double Burner, Propane: 26,837
Stand Alone 110 /TS (800), Stand Alone 44 /TS (800)	Single Burner, NG: 31,400	Single Burner, NG: 21,100

Direct-Vent Gas Fireplace Heaters, For Use With Natural Gas, Burner 100

ORTAL, LYRIC

Model(s)	Max Input Rating
Clear - 110/RS/LS/TS/Tunnel, Clear 130H/HH RS/LS/TS	(Single Burner, Natural Gas) 37,167 / (Single Burner, Propane) 28,500
	(Dual Burner, Natural Gas) 42,185 / (Dual Burner, Propane) 33,400

ORTAL, LYRIC



Certificate: 2358468

Master Contract: 251419

Project: 80196267

Date Issued: 2024-03-25

Model(s)	Min Input Rating
Clear - 110/RS/LS/TS/Tunnel, Clear - 110H/HH RS/LS/TS/Tunnel, Clear - 110TS Base, Clear - 130/RS/LS/TS/Tunnel/Top, Clear - 44 H/HH RS/LS/TS/Tunnel, Clear - 44/RS/LS/TS/Tunnel, Clear - 51 /RS/LS/TS/Tunnel/Top, Clear 130H/HH RS/LS/TS, Clear 51 H/HH RS/LS/TS, Minimal - 110/Tunnel, Minimal - 130/Tunnel, Minimal - 51/Tunnel, Space Creator 120 / Mini / Midi, Space Creator 120H, Stand Alone 110 /TS	(Single Burner, Natural Gas) 22,800 / (Single Burner, Propane) 22,900
	(Dual Burner, Natural Gas) 28,878 / (Dual Burner, Propane) 26,837
Clear - 110H/HH RS/LS/TS/Tunnel, Clear - 110TS Base, Clear - 130/RS/LS/TS/Tunnel/Top, Clear - 44 H/HH RS/LS/TS/Tunnel, Clear - 51 /RS/LS/TS/Tunnel/Top, Clear 130H/HH RS/LS/TS, Clear 51 H/HH RS/LS/TS, Minimal - 110/Tunnel, Minimal - 130/Tunnel, Minimal - 51/Tunnel	(Single Burner, Natural Gas) 22,800 / (Single Burner, Propane) 22,900
	(Dual Burner, Natural Gas) 28,878 / (Dual Burner, Propane) 26,837

Burner 135

Trade Name: Ortal, Lyric

Model(s)	Max Input Rating (BTU/HR)	Min Input Rating (BTU/HR)
Clear – 150 /H/RS/LS/TS/Tunnel, Clear – 60 /H/RS/LS/TS/Tunnel	Single Burner, NG: 43,715	Single Burner, NG: 23,300
	Single Burner, Propane: 36,850	Single Burner, Propane: 27,100
	Double Burner, NG: 49,616	Double Burner, NG: 28,878
	Double Burner, Propane: 37,400	Double Burner, Propane: 27,467
Clear 140 RS/LS/TS/Tunnel, Clear 56 RS/LS/TS/Tunnel	Single Burner, NG: 43,715	Single Burner, NG: 23,300
	Single Burner, Propane: 36,850	Single Burner, Propane: 27,100
	Double Burner, NG: 49,616	Double Burner, NG: 28,878
	Double Burner, Propane: 37,400	Double Burner, Propane: 27,467
Clear 150 H/HH RS/LS/TS/Tunnel/SA, Clear 60 H/HH RS/LS/TS/Tunnel/SA	Single Burner, NG: 43,715	Single Burner, NG: 23,300
	Single Burner, Propane: 36,850	Single Burner, Propane: 27,100
	Double Burner, NG: 49,616	Double Burner, NG: 28,878



Certificate: 2358468

Master Contract: 251419

Project: 80196267

Date Issued: 2024-03-25

	Double Burner, Propane: 37,400	Double Burner, Propane: 27,467
Clear 170 /RS/LS/TS/Tunnel/SA, Clear 68 /RS/LS/TS/Tunnel/SA	Single Burner, NG: 43,715	Single Burner, NG: 23,300
	Single Burner, Propane: 36,850	Single Burner, Propane: 27,100
	Double Burner, NG: 49,616	Double Burner, NG: 28,878
	Double Burner, Propane: 37,400	Double Burner, Propane: 27,467
Clear 170 H/HH RS/LS/TS/Tunnel/SA, Clear 68 H/HH RS/LS/TS/Tunnel/SA	Single Burner, NG: 43,715	Single Burner, NG: 23,300
	Single Burner, Propane: 36,850	Single Burner, Propane: 27,100
	Double Burner, NG: 49,616	Double Burner, NG: 28,878
	Double Burner, Propane: 37,400	Double Burner, Propane: 27,467
Space Creator 150, Space Creator 60	Single Burner, NG: 43,715	Single Burner, NG: 23,300
	Single Burner, Propane: 36,850	Single Burner, Propane: 27,100
	Double Burner, NG: 49,616	Double Burner, NG: 28,878
	Double Burner, Propane: 37,400	Double Burner, Propane: 27,467
Space Creator 150H, Space Creator 60H	Single Burner, NG: 43,715	Single Burner, NG: 23,300
	Single Burner, Propane: 36,850	Single Burner, Propane: 27,100
	Double Burner, NG: 49,616	Double Burner, NG: 28,878
	Double Burner, Propane: 37,400	Double Burner, Propane: 27,467
Stand Alone 150, Stand Alone 60	Single Burner, NG: 43,715	Single Burner, NG: 23,300
	Single Burner, Propane: 36,850	Single Burner, Propane: 27,100
	Double Burner, NG: 49,616	Double Burner, NG: 28,878
	Double Burner, Propane: 37,400	Double Burner, Propane: 27,467

Burner 160

Trade Name: Ortal, Lyric

Model(s)	Max Input Rating (BTU/HR)	Min Input Rating (BTU/HR)
Clear – 200 H/HH RS/LS/TS/Tunnel/SA, Clear – 77 H/HH RS/LS/TS/Tunnel/SA	Single Burner, NG: 51,277	Single Burner, NG: 27,467
	Single Burner, Propane: 36,659	Single Burner, Propane: 26,400



Certificate: 2358468

Master Contract: 251419

Project: 80196267

Date Issued: 2024-03-25

	Double Burner, NG: 58,200	Double Burner, NG: 27,454
	Double Burner, Propane: 37,500	Double Burner, Propane: 37,500
Clear – 250 /RS/LS/TS/Tunnel/SA, Clear – 98 /RS/LS/TS/Tunnel/SA	Single Burner, NG: 51,277	Single Burner, NG: 27,467
	Single Burner, Propane: 36,659	Single Burner, Propane: 26,400
	Double Burner, NG: 58,200	Double Burner, NG: 27,454
	Double Burner, Propane: 37,500	Double Burner, Propane: 37,500
Clear – 250H/HH RS/LS/TS/Tunnel/SA, Clear – 98H/HH RS/LS/TS/Tunnel/SA	Single Burner, NG: 51,277	Single Burner, NG: 27,467
	Single Burner, Propane: 36,659	Single Burner, Propane: 26,400
	Double Burner, NG: 58,200	Double Burner, NG: 27,454
	Double Burner, Propane: 37,500	Double Burner, Propane: 37,500
Space Creator 200, Space Creator 77	Single Burner, NG: 51,277	Single Burner, NG: 27,467
	Single Burner, Propane: 36,659	Single Burner, Propane: 26,400
	Double Burner, NG: 58,200	Double Burner, NG: 27,454
	Double Burner, Propane: 37,500	Double Burner, Propane: 37,500
Space Creator 200H, Space Creator 77H	Single Burner, NG: 51,277	Single Burner, NG: 27,467
	Single Burner, Propane: 36,659	Single Burner, Propane: 26,400
	Double Burner, NG: 58,200	Double Burner, NG: 27,454
	Double Burner, Propane: 37,500	Double Burner, Propane: 37,500

Burner 180

Trade Name: Ortal, Lyric

Model(s)	Max Input Rating (BTU/HR)	Min Input Rating (BTU/HR)
Clear – 250 /RS/LS/TS/Tunnel, Clear – 98 /RS/LS/TS/Tunnel	NG: 52,700	NG: 21,700
	Propane: 57,045	Propane: 42,640
Clear – 250 H/HH RS/LS/TS/Tunnel, Clear – 98 H/HH RS/LS/TS/Tunnel	NG: 52,700	NG: 21,700
	Propane: 57,045	Propane: 42,640



Certificate: 2358468

Master Contract: 251419

Project: 80196267

Date Issued: 2024-03-25

Clear 200 H/HH /RS/LS/TS/Tunnel, Clear 77 H/HH /RS/LS/TS/Tunnel	NG: 52,700	NG: 21,700
	Propane: 57,045	Propane: 42,640
Clear 200 RS/LS/TS/Tunnel, Clear 77 RS/LS/TS/Tunnel	NG: 52,700	NG: 21,700
	Propane: 57,045	Propane: 42,640
Space Creator 200, Space Creator 77	NG: 52,700	NG: 21,700
	Propane: 57,045	Propane: 42,640
Space Creator 200H, Space Creator 77H	NG: 52,700	NG: 21,700
	Propane: 57,045	Propane: 42,640

Burner 180 - 6mm Orifice

Trade Name: Ortal, Lyric

Model(s)	Max Input Rating (BTU/HR)	Min Input Rating (BTU/HR)
Clear – 250 /RS/LS/TS/Tunnel, Clear – 98 /RS/LS/TS/Tunnel	NG: 82,802	NG: 40,548
Clear – 250 H/HH RS/LS/TS/Tunnel, Clear – 98 H/HH RS/LS/TS/Tunnel	NG: 82,802	NG: 40,548
Clear 200 H/HH /RS/LS/TS/Tunnel, Clear 77 H/HH /RS/LS/TS/Tunnel	NG: 82,802	NG: 40,548
Clear 200 RS/LS/TS/Tunnel, Clear 77 RS/LS/TS/Tunnel	NG: 82,802	NG: 40,548
Space Creator 200, Space Creator 77	NG: 82,802	NG: 40,548
Space Creator 200 H, Space Creator 77 H	NG: 82,802	NG: 40,548

Direct-Vent Gas Fireplace Heaters, For Use With Natural Gas, Burner 45 (1)

ORTAL, LYRIC

Model(s)	Max Input Rating
Clear - 25HH /RS/LS/TS/SA, Clear - 75H /RS/LS/TS, Clear - 75HH /RS/LS/TS/SA, Clear-25H /RS/LS/TS, Minimal - 22x30/Tunnel, Minimal - 60x80/Tunnel	(Single Burner, Natural Gas) 29,100 / (Single Burner, Propane) 22,118
	(Dual Burner, Natural Gas) 33,029 / (Dual Burner, Propane) 28,500

Two Burners (2x100)

Trade Name: Ortal, Lyric

Model(s)	Max Input Rating (BTU/HR)	Min Input Rating (BTU/HR)
Clear 250 DB F/RS/LS/TS/ Tunnel, Clear 98 DB F/RS/LS/TS/ Tunnel	NG: 81,509	NG: 47,872



Certificate: 2358468

Master Contract: 251419

Project: 80196267

Date Issued: 2024-03-25

	Propane: 70,890	Propane: 34,008
Clear 250 H/HH DB F/RS/LS/TS/ Tunnel, Clear 98 H/HH DB F/RS/LS/TS/ Tunnel	NG: 81,509	NG: 47,872
	Propane: 70,890	Propane: 34,008

Direct-Vent Gas Fireplace Heaters, For Use With Natural Gas, Burner 45 (2)

ORTAL, LYRIC

Model(s)	Max Input Rating
Clear 30TS Base, Stand Alone 30TS	Orifice 260: (Single Burner, Propane) 24,637
	Orifice 220/160: (Dual Burner, Propane) 34,459

Burner 70

Trade Name: Ortal, Lyric

Model(s)	Max Input Rating (BTU/HR)	Min Input Rating (BTU/HR)
Clear 36 H RS/LS/TS/Tunnel (B70),, Clear 90 H RS/LS/TS/Tunnel (B70)	Single Burner, NG: 33,127	Single Burner, NG: 14,461
	Single Burner, Propane: 19,591	Single Burner, Propane: 14,104
	Double Burner, NG: 36,154	Double Burner, NG: 14,461
	Double Burner, Propane: 35,260	Double Burner, Propane: 14,104
Clear 36 RS/LS/TS/Tunnel (B70), Clear 90 RS/LS/TS/Tunnel (B70)	Single Burner, NG: 33,127	Single Burner, NG: 14,461
	Single Burner, Propane: 19,591	Single Burner, Propane: 14,104
	Double Burner, NG: 36,154	Double Burner, NG: 14,461
	Double Burner, Propane: 35,260	Double Burner, Propane: 14,104
Island 36, Island 90	Single Burner, NG: 33,127	Single Burner, NG: 14,461
	Single Burner, Propane: 19,591	Single Burner, Propane: 14,104
	Double Burner, NG: 36,154	Double Burner, NG: 14,461
	Double Burner, Propane: 35,260	Double Burner, Propane: 14,104
Oval 120 360/270/TU, Oval 50 360/270/TU	Single Burner, NG: 33,127	Single Burner, NG: 14,461
	Single Burner, Propane: 19,591	Single Burner, Propane: 14,104
	Double Burner, NG: 36,154	Double Burner, NG: 14,461
	Double Burner, Propane: 35,260	Double Burner, Propane: 14,104

Wilderness Burner 100-3 - NG Orifices 1200-380-650 500



Certificate: 2358468

Master Contract: 251419

Project: 80196267

Date Issued: 2024-03-25

Trade Name: Ortal, Lyric

Model(s)	Max Input Rating (BTU/HR)	Min Input Rating (BTU/HR)
Island 51	NG: 58,500	NG: 39,645
Wilderness 100 H/HH FR/RS/LS/TS/TU/SA	NG: 58,500	NG: 39,645
Wilderness 44 H/HH FR/RS/LS/TS/TU/SC/SA	NG: 58,500	NG: 39,645
Wilderness 50 SC	NG: 58,500	NG: 39,645
Wilderness 51 H/HH FR/RS/LS/TS/TU/SA	NG: 58,500	NG: 39,645
Wilderness 60 H/HH FR/RS/LS/TS/TU/SC/SA	NG: 58,500	NG: 39,645
Wilderness 68 H/HH FR/RS/LS/TS/TU/SA	NG: 58,500	NG: 39,645
Wilderness 77 H/HH FR/RS/LS/TS/TU/SC/SA	NG: 58,500	NG: 39,645

Wilderness Burner 100-3 - NG Orifices 650-180-500 500 - Propane Orifices 180-60-120 260

Trade Name: Ortal, Lyric

Model(s)	Max Input Rating (BTU/HR)	Min Input Rating (BTU/HR)
Island 51	NG: 52,000	NG: 36,101
	Propane: 48,000	Propane: 30,690
Wilderness 44 H/HH FR/RS/LS/TS/TU/SC/SA	NG: 52,000	NG: 36,101
	Propane: 48,000	Propane: 30,690
Wilderness 50 SC	NG: 52,000	NG: 36,101
	Propane: 48,000	Propane: 30,690
Wilderness 51 H/HH FR/RS/LS/TS/TU/SA	NG: 52,000	NG: 36,101
	Propane: 48,000	Propane: 30,690
Wilderness 60 H/HH FR/RS/LS/TS/TU/SC/SA	NG: 52,000	NG: 36,101
	Propane: 48,000	Propane: 30,690
Wilderness 68 H/HH FR/RS/LS/TS/TU/SA	NG: 52,000	NG: 36,101
	Propane: 48,000	Propane: 30,690
Wilderness 77 H/HH FR/RS/LS/TS/TU/SC/SA	NG: 52,000	NG: 36,101
	Propane: 48,000	Propane: 30,690
Wilderness 98 H/HH FR/RS/LS/TS/TU/SA	NG: 52,000	NG: 36,101
	Propane: 48,000	Propane: 30,690

Wilderness Burner 45-3



Certificate: 2358468

Master Contract: 251419

Project: 80196267

Date Issued: 2024-03-25

Trade Name: Ortal, Lyric

Model(s)	Max Input Rating (BTU/HR)	Min Input Rating (BTU/HR)
Wilderness 22	NG: 32,768	NG: 16,781
	Propane: 27,645	Propane: 18,745
Wilderness 25H FR/RS/LS/TS/SA/TU	NG: 32,768	NG: 16,781
	Propane: 27,645	Propane: 18,745
Wilderness 30 FR/TS/SA	NG: 32,768	NG: 16,781
	Propane: 27,645	Propane: 18,745
Wilderness 31 FR/TU, Wilderness 31 H FR/TU	NG: 32,768	NG: 16,781
	Propane: 27,645	Propane: 18,745
Wilderness 36 H FR/RS/LS/TS/SA	NG: 32,768	NG: 16,781
	Propane: 27,645	Propane: 18,745
Wilderness 44 H/HH FR/RS/LS/TS/SA/TU	NG: 32,768	NG: 16,781
	Propane: 27,645	Propane: 18,745
Wilderness Curve/Tunnel	NG: 32,768	NG: 16,781
	Propane: 27,645	Propane: 18,745
Wilderness Insert 29	NG: 29,668	NG: 21,706
	Propane: 28,507	Propane: 20,991
Wilderness Insert 34	NG: 35,092	NG: 21,644
	Propane: 35,696	Propane: 25,934
Wilderness Island 28	NG: 32,768	NG: 16,781
	Propane: 27,645	Propane: 18,745
Wilderness TR(28i, 30, 36s, 36, 42, 51)	NG: 32,768	NG: 16,781
	Propane: 27,645	Propane: 18,745

Wilderness Burner - Dark Brown/Chopped Wood

Trade Name: Ortal, Lyric

Model(s)	Max Input Rating (BTU/HR)	Min Input Rating (BTU/HR)
Wilderness 25 /H FR/RS/LS/TS/SA	NG: 29,861	NG: 12,613
	Propane: 24,130	Propane: 18,120
Wilderness 31 /H/Tunnel	NG: 29,861	NG: 12,613
	Propane: 24,130	Propane: 18,120



Certificate: 2358468

Master Contract: 251419

Project: 80196267

Date Issued: 2024-03-25

Wilderness Curve/Tunnel	NG: 29,861	NG: 12,613
	Propane: 24,130	Propane: 18,120
Wilderness Front 30H FR/RS/LS/TS/SA	NG: 29,861	NG: 12,613
	Propane: 24,130	Propane: 18,120
Wilderness Traditional 28i/25i/35i/30	NG: 29,861	NG: 12,613
	Propane: 24,130	Propane: 18,120

Wilderness Burner 70-3

Trade Name: Ortal, Lyric

Model(s)	Max Input Rating (BTU/HR)	Min Input Rating (BTU/HR)
Wilderness 36H/HH /FR/RS/LS/TS/TU/SA	NG: 32,163	NG: 15,696
	Propane: 31,426	Propane: 21,391
Wilderness 44H/HH FR/RS/LS/TS/SA/TU	NG: 32,163	NG: 15,696
	Propane: 31,426	Propane: 21,391
Wilderness 51H/HH FR/RS/LS/TS/SA	NG: 32,163	NG: 15,696
	Propane: 31,426	Propane: 21,391
Wilderness 60H/HH FR/RS/LS/TS/SA/TU	NG: 32,163	NG: 15,696
	Propane: 31,426	Propane: 21,391
Wilderness 68H/HH FR/RS/LS/TS/SA	NG: 32,163	NG: 15,696
	Propane: 31,426	Propane: 21,391
Wilderness Traditional 28i/36/36S/42/51	NG: 32,163	NG: 15,696
	Propane: 31,426	Propane: 21,391

Direct-Vent Gas Fireplace Heaters, For Use With Natural Gas, Burner Driftwood 100-3

ORTAL, LYRIC

Model(s)	Max Input Rating
Wilderness 44 H/HH FR/RS/LS/TS/TU/SC/SA, Wilderness 50 SC, Wilderness 51 H/HH FR/RS/LS/TS/TU	Orifice 650-180-500 500: (Single Burner, Natural Gas) 52,000
	Orifice 180-60-120 260: (Single Burner, Propane) 48,000
Wilderness 51 H/HH FR/RS/LS/TS/TU, Wilderness 77 H/HH FR/RS/LS/TS/TU	Orifice 650-180-500 500: (Single Burner, Natural Gas) 52,000



Certificate: 2358468

Master Contract: 251419

Project: 80196267

Date Issued: 2024-03-25

	Orifice 180-60-120 260: (Single Burner, Propane) 48,000
--	--

Wilderness Burner - Horizontal Driftwood

Trade Name: Ortal, Lyric

Model(s)	Max Input Rating (BTU/HR)	Min Input Rating (BTU/HR)
Wilderness 44H/HH FR/RS/LS/TS/SA/TU	NG: 36,467	NG: 23,862
Wilderness 51H/HH FR/RS/LS/TS/SA	NG: 36,467	NG: 23,862
Wilderness 60H/HH FR/RS/LS/TS/SA/TU	NG: 36,467	NG: 23,862
Wilderness 68H/HH FR/RS/LS/TS/SA	NG: 36,467	NG: 23,862

Wilderness Burner 135-5 - Orifices 800-320-320-320-650 650

Trade Name: Ortal, Lyric

Model(s)	Max Input Rating (BTU/HR)	Min Input Rating (BTU/HR)
Wilderness 60 H/HH FR/RS/LS/TS/TU/SC/SA, Wilderness 68 H/HH FR/RS/LS/TS/TU, Wilderness 77 H/HH FR/RS/LS/TS/TU/SC, Wilderness 98 H/HH FR/RS/LS/TS/TU	NG: 62,500	NG: 38,803
	Propane: 50,000	Propane: 36,901

Wilderness Burner 135-3

Trade Name: Ortal, Lyric

Model(s)	Max Input Rating (BTU/HR)	Min Input Rating (BTU/HR)
Wilderness 60 H/HH FR/RS/LS/TS/TU/SC/SA	NG: 62,500	NG: 41,259
	Propane: 50,000	Propane: 34,322
Wilderness 68 H/HH FR/RS/LS/TS/TU/SA	NG: 61,000	NG: 41,000
	Propane: 57,000	Propane: 50,000
Wilderness 77 H/HH FR/RS/LS/TS/TU/SC/SA	NG: 61,000	NG: 41,000
	Propane: 57,000	Propane: 50,000
Wilderness 98 H/HH FR/RS/LS/TS/TU/SA	NG: 62,500	NG: 41,259
	Propane: 50,000	Propane: 34,322

Wilderness Burner 135-5 - NG Orifices 800-320-3320-320-650 650



Certificate: 2358468

Master Contract: 251419

Project: 80196267

Date Issued: 2024-03-25

Trade Name: Ortal, Lyric

Model(s)	Max Input Rating (BTU/HR)	Min Input Rating (BTU/HR)
Wilderness 60 H/HH FR/RS/LS/TS/TU/SC/SA	NG: 62,500	NG: 38,803
	Propane: 56,000	Propane: 36,901
Wilderness 68 H/HH FR/RS/LS/TS/TU/SA	NG: 68,000	NG: 49,000
	Propane: 67,500	Propane: 56,000
Wilderness 77 H/HH FR/RS/LS/TS/TU/SC/SA	NG: 62,500	NG: 38,803
	Propane: 56,000	Propane: 36,901
Wilderness 98 H/HH FR/RS/LS/TS/TU/SA	NG: 62,500	NG: 38,803
	Propane: 56,000	Propane: 36,901

Wilderness Burner 135-5 - NG Orifices 500-120-180-120-460 650

Trade Name: Ortal, Lyric

Model(s)	Max Input Rating (BTU/HR)	Min Input Rating (BTU/HR)
Wilderness 60 H/HH FR/RS/LS/TS/TU/SC/SA	NG: 70,000	NG: 49,000
	Propane: 56,000	Propane: 56,000
Wilderness 68 H/HH FR/RS/LS/TS/TU/SA	NG: 68,000	NG: 49,000
	Propane: 67,500	Propane: 56,000
Wilderness 77 H/HH FR/RS/LS/TS/TU/SC/SA	NG: 68,000	NG: 49,000
	Propane: 67,500	Propane: 56,000
Wilderness 98 H/HH FR/RS/LS/TS/TU/SA	NG: 70,000	NG: 49,000
	Propane: 56,000	Propane: 56,000

Wilderness Burner 220-5

Trade Name: Ortal, Lyric

Model(s)	Max Input Rating (BTU/HR)	Min Input Rating (BTU/HR)
Wilderness 77 H/HH FR/RS/LS/TS/TU/SA	NG: 82,057	NG: 59,000
	Propane: 73,170	Propane: 42,382
Wilderness 98 H/HH FR/RS/LS/TS/TU/SA	NG: 82,057	NG: 59,000
	Propane: 73,170	Propane: 42,382



Certificate: 2358468

Master Contract: 251419

Project: 80196267

Date Issued: 2024-03-25

All Models May Employ Out Glass Extender Kit, May be Used on Exterior Walls

Wilderness Burner 180-5

Trade Name: Ortal, Lyric

Model(s)	Max Input Rating (BTU/HR)	Min Input Rating (BTU/HR)
Wilderness 77 H/HH FR/RS/LS/TS/TU/SC/SA	NG: 67,575	NG: 47,350
	Propane: 68,774	Propane: 41,325
Wilderness 98 H/HH FR/RS/LS/TS/TU/SA	NG: 67,575	NG: 47,350
	Propane: 68,774	Propane: 41,325

APPLICABLE REQUIREMENTS

ANSI Z21.88-2019/CSA 2.33-2019 - Vented gas fireplace heaters - Ninth Edition; incorporating Errata: February 2021