
Framing Information: 77H Three Sided (TS) Screen



Framing Dimensions



Model	Α	В	С	D
77H TS	41 ¹ ½6"	82 ¾"	21 %"	Refer to Vent Manufacturer's Firestop Dimensions

Note: 1. Drawings are not to Scale

2. All dimensions in inches

3. No weight can be transferred to the fireplace. ALL FRAMING MUST BE SELF-SUPPORTED.

Framing Information: 77H Three Sided (TS) (Screen) YOUR LIFE. YOUR FIRE **Framing Details** Nailing flanges fold up and connect to the framing. ALL FRAMING MUST BE SELF-SUPPORTED. The fireplace must not bear any weight. Heat Release Heat Release 5/8" Type X Drywall on Framing Exterior 5/8" Type X Drywall on Framing Exterior Combustible . | |-|-**Elevation View** Section View Air Intake (required for double glass only) Add drywall nailer as needed. **Top View** The valve can be moved 36" from the center of the fireplace in any direction

Note: 1. Drawings are not to Scale


2. All dimensions in inches


3. No weight can be transferred to the fireplace. ALL FRAMING MUST BE SELF-SUPPORTED.

Framing Information: 77H Three Sided (TS) (Screen)





Fireplace Dimensions





Front View





Model	(H) Height	(W) Width	(D) Depth	C1	C2	СЗ	Viewing Area	
Wodei							Front	Side
77H TS	41 ¹ ½ ₁₆ "	82 ¾"	21 %"	7 1/8"	41 ¾"	12 ½"	81 ½6" W X 21 ½" H	14 ¹³ / ₁₆ " W X 21 ⁵ / ₈ " H

Note: 1. Drawings are not to Scale

2. All dimensions in inches