
## Framing Information: 77HH Front (Screen & Double Glass)



## **Framing Dimensions**



Model	А	В	С	D
77HH Front	49 ½"	86 <sup>13</sup> ⁄ <sub>16</sub> "	21 %"	Refer to Vent Manufacturer's Firestop Dimensions

Note: 1. Drawings are not to Scale

2. All dimensions in inches

3. No weight can be transferred to the fireplace. ALL FRAMING MUST BE SELF-SUPPORTED.

## Framing Information: 77HH Front (Screen & Double Glass) YOUR LIFE. YOUR FIRE Framing Details Nailing flanges fold up and connect to the framing. ALL FRAMING MUST BE SELF-SUPPORTED. The fireplace must not bear any weight. Heat Release Heat Release 5/8" Type X Drywall on Framing Exterior 5/8" Type X Drywall on Framing Exterior Combustible Framing Elevation View Section View (required for double glass only) Add drywall nailer as needed. Top View The valve can be moved 36" from the center of the fireplace in any direction

Note: 1. Drawings are not to Scale

2. All dimensions in inches

3. No weight can be transferred to the fireplace. ALL FRAMING MUST BE SELF-SUPPORTED.

## Framing Information: 77HH Front (Screen & Double Glass) YOUR LIFE. YOUR FIRE Fireplace Dimensions Heat Shield Articulation Joints Viewing Area Width Side View Front View Heat Shield C2 Protective Cover for double-glass fans. Ships on double glass models only. Top View

Model	(H) Height	(W) Width	(D) Depth	C1	C2	C3	Viewing Area	
Wiodei							Front	Side
77HH Front	49 ½"	86 <sup>13</sup> / <sub>16</sub> "	21 %"	7 %"	43 ½6"	12 ½6"	77 %" W X 29 ½" H	_

Note: 1. Drawings are not to Scale

2. All dimensions in inches