

WILDERNESS Gas Fireplace INSERTS

TIMELESS TRANSFORMATION
Innovative Flames

ORTAL[®]





PERSONALIZE YOUR ORTAL GAS FIREPLACE INSERT

Create the perfect focal point in your home with a fireplace that complements your unique style. Our ORTAL Gas Fireplace Inserts come in two sizes, designed to seamlessly integrate with your existing masonry fireplace, ensuring a flawless fit that enhances your space.



29" insert
Scan to learn more



34" insert
Scan to learn more



LOG DESIGN OPTIONS:

Featuring ORTAL's cutting-edge Wilderness Logs, enhanced by our patent-pending flame-through log technology. Choose from two stunning log options to create a breathtaking centerpiece that elevates your home's ambiance



Dark Brown



Chopped Wood

INTERIOR PANEL DESIGN OPTIONS:



Red Brick Herringbone



Tan-Grey Brick Herringbone



Black Reflective Panel



Red Brick Horizontal



Tan-Grey Horizontal



Blackridge Panel

FRONT FRAME DESIGN OPTIONS:

Our SLEEK DESIGN front frames feature a solid, heavy-grade steel meticulously crafted for a seamless, contemporary finish.



Burnished Copper



Antique Bronze



Black



Black Arch



Antique Steel

Our CLASSIC DESIGN front frames feature a finely crafted rolled edge construction that adds a soft yet defined finish



Antique Bronze




Black



Brushed Chrome

FRONT SURROUND DESIGN OPTIONS:



PRODUCT FEATURES:



Interior Lighting
on top and bottom



Fully customizable burner allows
separate control of burner and log
flames to ensure total ambiance



Quiet fans for
adjustable heat



Fireplace remains
fully operable
with or without power



Anti-Reflective
ceramic glass




Wilderness Technology
features flames through
the logs

INSERT EFFICIENCY

Enjoy the warmth without the worry. ORTAL's Gas Fireplace Inserts offer exceptional energy efficiency, providing you with effective heating while reducing your carbon footprint

CAVITY DIMENSIONS



Model		Insert 34"	Insert 29"
Fireplace front width	A	33 3/4"	30 3/16"
Fireplace back width	B	24 3/8"	20 3/8"
Fireplace front height	C	23 3/4"	20 3/8"
Fireplace depth	D	18"	17 1/8"
Hearth to mantel height	E	36 11/16"	33 3/8"

TECHNICAL INFORMATION

Model	Insert 29"	Insert 34"	
Dimensions	Height	20 1/8"	23 1/2"
	Width	29 11/16"	33 1/4"
	Back Width	19 7/8"	23 7/8"
	Depth	16 7/8"	17 3/4"
	Weight	115 Lbs.	155 Lbs.
	Viewing Area	26 5/16" X 16 11/16"	29 13/16" X 20 3/16"
BTU & Efficiency	Ng Btu Max/Min	14,000 / 30,000	14,000 / 35,000
	Lp Btu Max/Min	9,200 / 28,500	15,000 / 35,000
	Ng Efficiency Rating	81%	82%
	Lp Efficiency Rating	75%	84%
Features	Valve System	Mertik Maxitrol	Mertik Maxitrol
	Ember Lights	Standard	Standard
	Accent Lights	Standard	Standard
	Media Options	Chopped Brown Or Dark Brown Firelogs With Charcoals	Chopped Brown Or Dark Brown Firelogs With Charcoals
	Glass Type	Anti Reflective Ceramic	Anti Reflective Ceramic
	Interior Panel	Required- 6 Options	Required- 6 Options
	Fan Kit	Standard	Standard
	Surround	Required- 5 Options + Custom Availability	Required- 5 Options + Custom Availability
	Screen Front	Required- 4 Options	Required- 4 Options
	Venting	3X3	3X4 *Minimum 10' – Max 50'



ORTAL®

INSERT WARMTH INTO YOUR HOME
Contact us today

ORTAL® [Ortal North America 2152 Citygate Drive, Columbus OH 43219
Tel: 1 (818) 238-7000 | Fax: 1 (818) 678-0541 | info@ortalheat.com | www.ortalheat.com
Due to fuel type, altitude and venting configuration, the flame height may differ from shown

